

secondary glazing are to be provided on Queens Square facade and apartments are to be mechanically ventilated

Revisions A 14-8-2019

Above ground drainage strategy added.

B 11-10-2019 Window opening altered to door with access onto flat roof as balcony with balustrade added

C 29-10-2019 additional notes added. The electric and water meter doors are to be kept lo0ck and shut. Distance from stair to furthest apartments is circa 10500 and within 45m of fire hose

D 30-10-2019 additional door added to corridor adjacent to apartment 4 to building control requirements

E 14-6-2020 Drawings updated to reflect the existing walls removed and new stud walls added to suit.

F 22-11-2020 terraced balcony omitted and drawings updated.

		Architectu e Ltd, Studio 12, Silver Street, Wa 535 740097 www.jade3archit	kefield WF1 1UY
23-24, Quee Wolverham			
Project No. 2019 Enquiry 30	Project Title Proposed firs	st floor	
Drawn By	Reviewed By	^{Scale} 1:50 @A1 size	Date 31/07/2019
Drawn No. 106	Reviewed Title		Revision F
commencing. Dimer as they become app	nsional conflicts should be parent. Failure to do so cou this drawing and any work	ns should be checked on site prior t brought to the company's attention a Id render the contractor liable for su executed from this drawing remians	as soon Ibsequent
© Copyright	Jade3 Architectu	ure Ltd.	